



Side Winder Gas Cut-Off Saws

A Multiquip Product



Powerful, industrial hand-held saws
designed to tackle a variety of materials

HS62 Gas Cut-Off Saw

Blade Capacity 12" or 14"

Weight 21 lbs.


Engine62 cc — 2-cycle

The Multiquip *Side Winder* High Speed Saw is an easy-to-handle gas powered cutter designed to tackle a variety of sawing applications. This series employs simple, EPA approved two-cycle gasoline engines, and ergonomically constructed frames that ensure power-on-demand and easy operator handling.

The *Side Winder* features a proven triple air filtration system, reversible blade flange to handle both 20mm and 1" blade arbors, reversible cutting arm to allow close-in cutting, easy-adjust cam V-belt adjuster, and sturdy front roller bar assembly. The saw operates either a 12" blade (4" depth of cut) or a 14" blades (5" depth of cut).



HS62



Ergonomically friendly carrying handle

Infinitely adjustable blade guard

Operates either 12" or 14" blades

Easy locking guard adjust knob

Easy-adjust cam V-belt tensioner

Reversible cutting arm

Rugged roller bar assembly

HS81 Gas Cut-Off Saw

Blade Capacity 12" or 14"
Weight 23 lbs.
Engine81 cc — 2-cycle



HS81



Three independent air filters are utilized to ensure maximum engine protection for all operating conditions.

- **Powerful 62 cc or 81 cc 2-cycle gasoline engine models** meets EPA standards
- **Operates either 12" or 14" Blade**
- **Independent Triple Stage Air Filtration System**
- **Industrial Crankshaft Bearings** for reliable service and extended operating life
- **Compression Release System** reduces the pulling force required for engine start
- **Reversible Blade Flange** precision machined to accept 20 mm or 1" arbors
- **Reversible Cutting Arm** permits close-in wall/column sawing
- **Easy-Adjust Cam V-Belt Tensioner**
- **Rugged Front Roller Bar Assembly** for smooth accurate tracking
- **Adjusting Blade Guard hand knob** locks guard to infinite positions, accommodates either 12" or 14" blade.
- **Water Kit** comes standard on HS62/HS81 models

Side Winder Gas Cut-Off Saws — Specifications

Model	Engine	Blade Capacity in. (mm)	Cutting Depth in. (mm)	Weight lb. (kg)	Dimensions in. (mm)
<i>Side Winder</i> SERIES					
HS62	62 cc 2-Cycle Gas Engine, 4.7 HP	12 / 14 (305 / 356)	4 / 5 (102 / 127)	21 (9.5)	26 x 8 x 16 (660 x 203 x 406)
HS81	81 cc 2-Cycle Gas Engine, 6.3 HP	12 / 14 (305 / 356)	4 / 5 (102 / 127)	23 (10.4)	26 x 8 x 16 (660 x 203 x 406)

HS Series — Dry Segmented Rim Diamond Blades

Size	Grade	Hard Materials	Abrasive Materials
12" x .125" x 1"-20mm	Standard	12GPS	—
12" x .125" x 1"-20mm	Premium	12SBL	12SBLA
12" x .125" x 1"-20mm	Premium Plus	12PDHS1	12PDHS1A
12" x .125" x 1"-20mm	Super Premium	12PDHS2	12PDHS2A
12" x .125" x 1"-20mm	Supreme	12PDHS3	12PDHS3A
14" x .125" x 1"-20mm	Standard	14GPS	—
14" x .125" x 1"-20mm	Premium	14SBL	14SBLA
14" x .125" x 1"-20mm	Premium Plus	14PDHS1	14PDHS1A
14" x .125" x 1"-20mm	Super Premium	14PDHS2	14PDHS2A
14" x .125" x 1"-20mm	Supreme	14PDHS3	14PDHS3A



Side Winder HS Series — Dry Side Winder II Series Blades

Size	Grade	General Materials	Asphalt/Green Concrete and Abrasive Materials
12" x .125" x 1"	Premium Plus	12SW2	12SW2G
14" x .125" x 1"	Premium Plus	14SW2	14SW2G



Side Winder HS Series — Dry Side Winder Pro Series Blades

Size	Grade	General Materials	Asphalt/Green Concrete and Abrasive Materials
12" x .125" x 1"	Professional	12SD2W	12SDWG
14" x .125" x 1"	Professional	14SD2W	14SWG



Note: All HS Series Diamond Blades available with 20 mm arbor on request.



All specifications and features are subject to change without notice.
MQSWGASCUTSAWS-498 Rev. B (10-03)



MULTIQUIP INC.
POST OFFICE BOX 6254
CARSON, CA 90749
310-537-3700 • 800-421-1244
FAX: 310-537-3927
E-MAIL: mq@multiquip.com
www.multiquip.com

Atlanta • Boise • Newark
Quebec, Canada • Manchester, UK • Rio de Janeiro, BR • Guadalajara, MX